

RAB-based irrigation prices 2027-29: draft report

Lower Lockyer Valley water supply scheme

July 2026

What this review is about

We were directed to investigate and report on irrigation prices for 2027-28 and 2028-29 under the regulatory asset base approach.¹ This review is an interim step before the next full price review.

Our draft report compares two approaches to recovering renewals expenditure:

- **Renewals annuity approach** – recovers renewals costs through a smoothed allowance based on forecast expenditure over the long-term
- **Regulatory asset base (RAB) approach** – generally recovers renewals costs from when they are incurred, with capital expenditure added to the RAB.

This information sheet summarises our draft findings for the Lower Lockyer Valley water supply scheme (WSS).

Our draft report, covering Seqwater's schemes, is available on our [website](#) with further detail.²

Relative merits of the approaches

Stakeholders have expressed a range of views, particularly on price stability and long-term price outcomes under a RAB approach. These views have informed our assessment of the strengths and weaknesses of each approach, as well as the design of transition arrangements.

The RAB approach aligns prices more closely with actual efficient expenditure, strengthening incentives for cost control and investment delivery. By linking revenue to delivered works, it improves risk allocation – placing financing and delivery risk with the business while reducing customers' exposure to forecast risk.

The annuity approach may spread costs more evenly across customer cohorts, particularly where long-term forecasts are stable. In contrast, the RAB approach aligns cost recovery with the timing and service life of assets, which supports intergenerational equity but potentially results in more variable prices when expenditure is lumpy.

Neither approach has a clear advantage in long-term price stability. Annuity-based prices are more affected by changes in long-term renewals forecasts, while RAB-based prices are more impacted by large or lumpy projects.

The approaches also differ in transparency. The annuity approach provides visibility of planned expenditure and forward price paths, while the RAB approach offers a clearer audit trail linking delivered works, the asset base and future revenue.

See Chapter 2 of the draft report for our assessment of the relative merits of each approach.

¹ The direction notice is available on our [website](#).

² A separate draft report covers Seqwater's schemes.

Draft price targets and prices for 2027-28 and 2028-29

Key points

- RAB-based prices are lower in the next two years, as costs are recovered later.
- RAB-based prices are expected to increase more in later years.
- Annuity-based prices are higher upfront but are expected to increase more steadily.
- Differences reflect when costs are recovered, not differences in underlying costs.


Table 1: Draft price targets and prices, by tariff group (\$/ML, nominal)

Tariff group	Component	Annuity approach		RAB approach	
		2027-28	2028-29	2027-28	2028-29
Lower Lockyer Valley	Price targets				
	Part A	91.59	94.21	59.49	61.20
	Part B	52.29	53.79	52.29	53.79
	Draft prices (transitional)				
	Part A	75.91	80.93	59.49	61.20
	Part B	30.69	31.57	33.45	37.26

Note: Price targets reflect cost-reflective prices. Draft prices are transitional and move towards these targets over time.

Over the next two years, prices change by around 6% to 7% per year under the annuity approach and range from a decrease of 15% in the first year to an increase of 4% in the second year under the RAB approach (Figure 1).

Figure 1: Annual changes in prices by tariff group, from 2027-28 to 2028-29 (% change)



Note: The figure uses the total price per megalitre of water access entitlement (WAE) for each tariff group, which is based on assumed scheme usage from the 2025 review. Individual customer impacts will depend on actual water use.

See Chapter 6 of the draft report for more information about price impacts.

Key inputs to the RAB approach

Applying a RAB approach requires:

- the appropriate categorisation of expenditure between capital expenditure (capex) and operating expenditure (opex)
- reliable data on asset lives
- an initial RAB for Lower Lockyer Valley WSS.

Expense categorisation

We have used Seqwater's proposed categorisation of renewals expenditure for this interim review.

Asset lives

We have used Seqwater's proposed asset lives for forecast renewals expenditure for this interim review. These asset life assumptions should be treated as interim and will require further validation before the next full price review.

Initial RAB

Consistent with Seqwater's proposed approach, we have set the initial RAB for Lower Lockyer Valley WSS at 1 July 2027 to zero, as both non-metering and metering components are forecast to have a positive annuity balance at 30 June 2027.

See Chapter 4 of the draft report for more information about key inputs to the RAB approach.

Managing the transition

Using these inputs, we have assessed how the transition from the annuity approach to the RAB approach affects the cost-reflective fixed price targets for this scheme, noting that volumetric price targets will be unchanged.

Given that the tariff group in this scheme remains well below the price target, we have proposed returning the positive annuity balance through a reduction in allowable costs, consistent with Seqwater's approach. We also consider Seqwater's proposed 10-year return period to be reasonable, as it results in an annual reduction at the end of this period that avoids potential impacts on the scheme's future transition to the underlying price target.

RAB-based fixed price targets are lower than annuity-based price targets in the first two years of transition (Table 2).

Table 2: Fixed price target impacts under the proposed transition setting (\$/ML)

Tariff group	Metric	2027-28	2028-29	2053-54
Lower Lockyer Valley	Fixed price target – annuity	91.59	94.21	187.46
	Fixed price target – RAB	59.49	61.20	209.15
	Difference (%)	(35.0)	(35.0)	11.6

See Chapter 4 of the draft report for our approach to managing transitional impacts.


Longer-term price implications

We have assessed how price targets and prices change over the longer term under the RAB approach compared with the annuity approach. These forecasts should be interpreted with caution, given the significant uncertainty associated with projections this far into the future.

For the annuity approach, this modelling assumes a rolling renewals annuity, with forecast renewals beyond Seqwater's planning period based on average historical levels.

Over the long-term, RAB-based prices increase more than annuity prices, reflecting the later cost recovery. Figure 2 compares annuity-based and RAB-based price targets and prices over the next two years, and in the first year of each subsequent price path period to 2053–54.

Figure 2: Fixed price targets and prices – Lower Lockyer Valley (\$/ML)



By 2053–54, the closing annuity balance is forecast to be a surplus of \$0.1 million while the closing RAB balance is forecast to be \$11.0 million. The following section outlines how the RAB rolls forward over the price path period.

RAB roll-forward for Lower Lockyer Valley WSS

The RAB is used to calculate the renewals allowance included in price targets under the RAB approach. It increases when renewals capex is added and decreases as assets are depreciated. The return on capital and depreciation are recovered through fixed price targets (Table 3).

Table 3: Lower Lockyer Valley WSS, RAB roll-forward, non-metering and metering (\$'000, nominal)

	2027-28	2028-29
Opening balance	–	85.5
Renewals capex	85.7	247.3
Inflation adjustment	1.2	6.0
Depreciation	(1.4)	(7.2)
Closing balance	85.5	331.5

Note: Numbers may not add due to rounding.

More information about costs is provided in Chapter 5 of the draft report.

Next steps

Our draft recommendations are indicative and will be subject to further consideration before we provide our final report.

We will hold workshops on our draft report in July 2026. Information about the workshops is available on our website.

We appreciate the valuable contribution that stakeholders have made to our review so far. We welcome further feedback and comments on our draft report, which will assist us with the finalisation of our recommendations to the government.

Stakeholders are invited to provide written submissions on our draft report by 7 August 2026. We will consider all submissions received by the due date in preparing our final report, which is due to the government by 30 September 2026.